Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1698	"713"/\$.ccls. and (key\$1 with deriv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 15:19
S2	778	"713"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 18:05
S3	1	"713"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) same pad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 15:25
S4	0	"713"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) same keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 18:05
S5	5.	"380"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) same keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:16
S6	7	"380"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) same (instructions with data) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/04 14:25
S7	3	"380"/\$.ccls. and (encryp\$4 with key\$1 with creat\$3) same (instructions with data) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:25
S8	7	"380"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) same (instructions with data) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:26

S9	433	"380"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:26
S10	83	"380"/\$.ccls. and (encryp\$4 with key\$1 with deriv\$3 with algorith\$5) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:30
S11	15	"380"/\$.ccls. and (generat\$3 with encryp\$4 with key\$1 with deriv\$3 with algorith\$5) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:32
S12		"380"/\$.ccls. and (generat\$3 with new near3 key\$1 with deriv\$3 with algorith\$5) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:34
S13	9	"380"/\$.ccls. and (generat\$3 with new near3 key\$1 with deriv\$3) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:30
S14	0	"380"/\$.ccls. and encrypt3 near2 keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/04/04 15:30
S15	14	"380"/\$.ccls. and encrypt\$3 near2 keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:32
S16	9	"380"/\$.ccls. and encrypt\$3 near1 keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:44

S17	13	encrypt\$3 adj1 keypad and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/04 16:44
S18	1047	"713"/\$.ccls. and (privat\$3 seeds) same (instruction\$3 algorithm\$3) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 15:30
S19	208	"713"/\$.ccls. and ((privat\$3 seeds) with (instruction\$3 algorithm\$3) with (data input\$3)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 15:38
S20	167	"713"/\$.ccls. and (((privat\$3 adj1 key)seeds) with (instruction\$3 algorithm\$3) with (data input\$3)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/17 15:41
S21	812	"713"/\$.ccls. and ((send\$3 receiv\$3) with ((privat\$3 adj1 key)seeds) ) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/17 15:41
S22	32	"713"/\$.ccls. and ((send\$3 receiv\$3) with ((privat\$3 adj1 key)seeds) with file\$1 ) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 16:11
S23	0	"713"/\$.ccls. and ((send\$3 receiv\$3) with ((privat\$3 adj1 key)seeds) with file\$1 near1 (includes contains)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/04/17 16:07
S24	374	"713"/\$.ccls. and ((send\$3 receiv\$3) near2 ((privat\$3 adj1 key)seeds)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/17 16:11

S25	89	"713"/\$.ccls. and ((send\$3 receiv\$3) near2 ((privat\$3 adj1 key)seeds) with (data packet\$1)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/04/17 16:11
S26	163	(creat\$3 near4 (new adj1 key\$1)) and @ad<="20001109"	IBM_TDB  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/20 10:53
S27	0	(creat\$3 near4 (new adj1 encrypted adj1 key\$1)) and @ad<="20001109"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/09/20 10:53
S28	0	(creat\$3 with (new adj1 encrypted adj1 key\$1)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 10:53
S29	9	((new adj1 encrypted adj1 key\$1)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 16:16
S30	2	("6397224").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/20 16:45
S31	2	("6167137").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 16:45
S32	665	(instruction\$3) with (encryption) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 17:16

S33	19	((instruction\$3) with (encryption) with (references)) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 17:35
S34	2	("5224166").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:35
S35	580	(reference with encrypt\$3 with key\$1) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 18:06
S36	10	(instructions with references with encrypt\$3 with key\$1) and @ad<="20001109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 18:06